

Peer reviewed

- Zehtabian, E., Rau, C., Musche, F., Grischek, T. (2025) Testfilter experiments for defining dissolved organic carbon biodegradation during riverbank filtration at different temperatures. *Sustainable Water Resources Management* 11, 27. doi:10.1007/s40899-025-01206-7.
- Yadav, P.K., Batheja, V., Köhler, A., Cantarella, V., Tufail, M., Werth, C., Grischek, T. (2024) RBFsim – A tool for early planning stage of riverbank filtration systems. *Sustain. Wat. Res. Manag.* 10, 167. doi:10.1007/s40899-024-01137-9.
- Hoang, T.N.A., Covatti, G., Nguyen, D.V., Börnick, H., Grischek, T. (2024) Feasibility of riverbank filtration in Vietnam. *Sustain. Wat. Res. Manag.* 10, 174. doi:10.1007/s40899-024-01143-x.
- Idam, E.I., Qadeer, A., Oli, I.C., Fagorite, V.I., Baxter, T., Grischek, T., Nwobi, N.O., Onyeagoro, R.U., Adama, I.O., Abass, G.F. (2024) Optimizing wastewater treatment: Algae-mediated calcite formation and carbon sequestration through bicarbonate control. *Algal Research* 82, 103631. doi:10.1016/j.algal.2024.103631.
- Heumer, F., Grischek, T., Tränckner, J. (2024) Water supply security - risk management instruments in water supply companies. *Water* 16(13), 1814. doi:10.3390/w16131814.
- Adomat, Y., Grischek, T. (2024) Occurrence, fate and potential risks of pharmaceuticals and personal care products (PPCPs) in Elbe river water during water treatment in Dresden, Germany. *Environ. Challenges* 15, 100938. doi:10.1016/j.envc.2024.100938.
- Kurzweg, L., Hauffe, M., Schirrmeister, S., Adomat, Y., Socher, M., Grischek, T., Fery, A., Harre, K. (2024) Microplastic analysis in sediments of the Elbe River by electrostatic separation and differential scanning calorimetry. *Sci. Tot. Environ.* 930, 172514. doi:10.1016/j.scitotenv.2024.172514.
- Heumer, F., Wienand, I., Grischek, T., Tränckner, J. (2024) Sicherheit der Wasserversorgung – Blackout Vorsorge – Pilotprojekt der Dieselbevorratung. *gwf Wasser Abwasser* 165(4), 47-58.
- Köhler, A., Yadav, P.K., Liedl, R., Shil, J.B., Grischek, T., Dietrich, P. (2024) A data-driven approach for simplifying the estimation of time for contaminant plumes to reach their maximum extent. *J. Contam. Hydrol.* 263, 104336. doi:10.1016/j.jconhyd.2024.104336.
- Zakaria, S., Riad, P., El Serafy, S., Grischek, T., Abd-El Sattar, A. (2023) Feasibility of lake bank filtration on groundwater management in Toshka–Egypt. *Eur. Chem. Bull.* 12(10), 6961-6972.
- Yadav, P.K., Ibrahim, S.I., Liedl, R., Chahar, B.R., Grischek, T. (2023) Direct computation of critical plume quantities required for initial assessment of contaminated sites. *Computers & Geosciences* 172, 105299. doi:10.1016/j.cageo.2023.105299.
- Covatti, G., Hoang, T.N.A., Grischek, T. (2023) Release of arsenic during riverbank filtration under anoxic conditions linked to grain size of riverbed sediments. *Sci. Tot. Environ.* 900, 165858. doi:10.1016/j.scitotenv.2023.165858.
- Hrkal, Z., Adomat, Y., Rozman, D., Grischek, T. (2023) Efficiency of micropollutant removal through artificial recharge and riverbank filtration: case studies of Káraný, Czech Republic and Dresden-Hosterwitz, Germany. *Environ. Earth Sci.* 82(6), 155. doi:10.1007/s12665-023-10785-7.
- Heumer, F., Wienand, I., Grischek, T., Tränckner, J. (2023) Sicherheit der Wasserversorgung – Dimensionierung eines Zwischenpumpwerks unter Beachtung von Not- und Krisenfällen. *gwf Wasser Abwasser* 164(12), 63-72. doi:10.17560/gwfw.v164i12.2699.
- Heumer, F., Kritznier, W., Grischek, T., Tränckner, J. (2023) Sicherheit der Wasserversorgung – Vulnerabilitätsmessungen der Trinkwasserversorgung im Rahmen der Risikoanalyse. *gwf Wasser Abwasser* 164(9), 71-79. doi:10.17560/gwfw.v164i09.2671.
- Heumer, F., Grischek, T., Tränckner, J. (2023) Sicherheit der Wasserversorgung – Priorisierung von Gefährdungen der Trinkwasserversorgung im Rahmen der Risikoanalyse. *gwf Wasser Abwasser* 164(3), 63-75. doi:10.17560/gwfw.v164i3.2642
- Heumer, F., Grischek, T., Tränckner, J. (2022) Sicherheit der Wasserversorgung – Gesetzliche Grundlagen und Zuständigkeiten aus Sicht der Wasserversorgung. *gwf Wasser Abwasser* 163(11), 73-83. doi: 10.17560/gwfw.v163i11.2624.

- Adomat, Y., Kahl, M., Musche, F., Grischek, T. (2022) Evaluation of microplastics sediment sampling techniques - efficiency of common methods and new approaches. *Microplastics & Nanoplastics* 2, 27. doi:10.1186/s43591-022-00047-x.
- Krishan, G., Sandhu, C., Grischek, T., Ghosh, N.C., Singh, S., Ganapathi, H., Arora, N. (2022) Assessment of heavy metals in sediments from exploratory wells for riverbank filtration sites impacted by extreme environmental conditions using principal component analysis. In: Jha et al. (eds.) *Groundwater and Water Quality*. *Wat. Sc. Tech. Lib.* 119, Springer Nature, Cham, 29–51, ISBN 9783031095511. doi:10.1007/978-3-031-09551-1_3
- Hoang, T.N.A., Covatti, G., Grischek, T. (2022) Methodology for evaluation of potential sites for large scale riverbank filtration. *Hydrogeol. J.* 30, 1701-1716. doi:10.1007/s10040-022-02522-4.
- Covatti, G., Grischek, T., Burghardt, D. (2022) Tracing sources and transformations of ammonium during river bank filtration by means of column experiments. *J. Contam. Hydrol.* 249, 104050. doi:10.1016/j.jconhyd.2022.104050.
- Harzdorf, J., Zeumer, R., Schirrmeister, S., Adomat, Y., Kurzweg, L., Faist, S., Musche, F., Grischek, T., Harre, K. (2022) Mikroplastik in Sächsischen Gewässern. *LfULG Schriftenreihe, Heft 3/2022*, 147 S., <https://publikationen.sachsen.de/bdb/artikel/39232/documents/60383>.
- Kuhn, K., Grischek, T. (2022) Die Lausitzer Wasserwirtschaft unter den Bedingungen von Klimawandel und Kohleausstieg. *Wasserwirtschaft* 5, 42-47.
- Ghodeif, K., Wahaab, R.A., Grischek, T., Afifi, H., Wahsh, N. (2022) Bank filtration for climate resilience: potentiality of a new site along the Ismailia Canal in Egypt. *Geologos* 28(1), 51-60. doi:10.2478/logos-2022-0004.
- Sandhu, C., Grischek, T., Kimothi, P.C., Sharma, S.K., Kumar, S., Uniyal, H.P., Ghosh, N.C., Krishan, G., Kumar, P., Mehrotra, I. (2021) Case Study 20: Sustainable and year-round drinking water production by riverbank filtration in Haridwar, India. In: Zheng, Y., Ross, A., Villholth, K.G., Dillon, P. (eds.) *Managing Aquifer Recharge: A Showcase for Resilience and Sustainability*. UNESCO, Paris, 261–268. ISBN 9789231004889.
- Grischek, T., Bartak, R., Haas, R. (2021) Case Study 8: Managed Aquifer Recharge by riverbank filtration and infiltration basins for drinking water supply at Dresden-Hosterwitz, Germany. In: Zheng, Y., Ross, A., Villholth, K.G., Dillon, P. (eds.) *Managing Aquifer Recharge: A Showcase for Resilience and Sustainability*. UNESCO, Paris, 149–159. ISBN 9789231004889.
- Abd-Elaty, I., Saleh, O.K., Ghanayem, H.M., Grischek, T., Zelenakova, M. (2021) Assessment of hydrologic, geohydraulic and operational conditions at a riverbank filtration site at Embaba, Cairo using flow and transport modeling. *J. Hydrol. Regional Studies* 37, 100900; doi:10.1016/j.ejrh.2021.100900.
- Covatti, G., Grischek, T. (2021) Sources and behavior of ammonium during riverbank filtration. *Water Research* 191, 116788; doi:10.1016/j.watres.2020.116788.
- Adomat, Y., Grischek, T. (2021) Sampling and processing methods of microplastics in river sediments - A review. *Science of The Total Environment* 758, 143691. doi:10.1016/j.scitotenv.2020.143691.
- Patro, E.R., Voltz, T.J., Kumar, A., Grischek, T. (2020) Micro-hydropower in drinking water gravity pipelines: A case study in Uttarakhand, India. *ISH J. Hydraulic Engineering* 26(3), 332-342; doi:10.1080/09715010.2018.1492977.
- Otter, P., Mette, K., Wesch, R., Gerhardt, T., Krüger, F.-M., Goldmaier, A., Benz, F., Malakar, P., Grischek, T. (2020) Oxidation of selected trace organic compounds through the combination of inline electro-chlorination with UV radiation (UV/EC_{l2}) as alternative AOP for decentralized drinking water treatment. *J. Water* 12, 3275; doi:10.3390/w12113275.
- Otter, P., Sattler, W., Grischek, T., Jaskolski, M., Mey, E., Ulmer, N., Grossmann, P., Matthias, F., Malakar, P., Goldmaier, A., Benz, F., Ndumwa, C. (2020) Economic evaluation of water kiosks operated with solar driven electro-chlorination in rural regions in Nepal, Egypt and Tanzania. *Wat. Res.* 187, 116384, doi: 10.1016/j.watres. 2020.116384.
- Otter, P., Hertel, S., Ansari, J., Lara, E., Cano, R., Arias, C., Gregersen, P., Grischek, T., Benz, F., Goldmaier, A., Alvarez, J.A. (2020) Disinfection for decentralized wastewater reuse in

- rural areas through wetlands and solar driven onsite chlorination. *Sci. Tot. Environ.* 721, 137595, doi:10.1016/j.scitotenv.2020.137595.
- Kruc, R., Dragon, K., Górski, J., Nagy-Kovács, Z., Grischek, T. (2020) Geohydraulic conditions and post-treatment at riverbank filtration sites in Eastern Europe. *Baltica* 33(1), 97-108, doi:10.5200/baltica.2020.1.9.
- Adomat, Y., Orzechowski, G., Pelger, H., Haas, R., Bartak, R., Nagy-Kovács, Z., Appels, J., Grischek, T. (2020) New methods for microbiological monitoring at riverbank filtration sites. *Water* 12(2), 584, doi:10.3390/w12020584.
- Dillon, P., Stuyfzand, P., Grischek, T., Lluria, M., Pyne, R.D.G., Jain, R.C., Bear, J., Schwarz, J., Wang, W., Fernandez, E., Stefan, C., Pettenati, M., van der Gun, J., Sprenger, C., Massmann, G., Scanlon, B.R., Xanke, J., Jokela, P., Zheng, Y., Rossetto, R., Shamrukh, M., Pavelic, P., Murray, E., Ross, A., Bonilla Valverde, J.P., Palma Nava, A., Ansems, N., Posavec, K., Ha, K., Martin, R., Sapiano, M. (2019) Sixty years of global progress in managed aquifer recharge. *Hydrogeol. J.* 27(1), 1-30, doi:10.1007/s10040-018-1841-z.
- Grischek, T., Beyer, K.-D. (2019) Wolfgang Beyer – A groundwater scientist from Dresden. *Groundwater* 57(6), 980-983. doi:10.1111/gwat.12944.
- Grischek, T., Sandhu, C. (2019) Project NIRWINDU helps to realize India's first flood-proof riverbank filtration well. *Water Solutions* 3, 52-54.
- Voltz, T.J., Grischek, T. (2019) Microturbines at drinking water tanks fed by gravity pipelines: A method and Excel tool for maximizing annual energy generation based on historical tank outflow data. *J. Water* 11, 1403; doi:10.3390/w11071403.
- Wahaab, R.A., Salah, A., Grischek, T. (2019) Water quality changes during the initial operating phase of riverbank filtration sites in Upper Egypt. *J. Water* 11, 1258-1275, doi:10.3390/w11061258.
- Paufler, S., Grischek, T., Ruppert, M. (2019) Freisetzung von Mangan nach Umstellung von Brunnen mit unterirdischer Enteisenung auf Dauerbetrieb. *gwf Wasser Abwasser* 160(1), 55-65.
- Nagy-Kovács, Z., Davidesz, J., Czihat-Mártonné, K., Grischek, T. (2019) Water quality changes during riverbank filtration at Budapest, Hungary. *Water* 11, 302; doi:10.3390/w11020302.
- Jaramillo, M., Grischek, T., Boernick, H., Velez, J.I. (2019) Evaluation of riverbank filtration in the removal of pesticides: an approximation using column experiments and contaminant transport modeling. *Clean Technol. Environ. Policy* 21(1), 179-199, doi:10.1007/s10098-018-1627-y.
- Sandhu, C., Grischek, T., Börnick, H., Feller, J., Sharma, S.K. (2019) A water quality appraisal of some existing and potential riverbank filtration sites in India. *Water* 11(2), 215, doi:10.3390/w11020215.
- Otter, P., Malakar, P., Sandhu, C., Grischek, T., Sharma, S.K., Kimothi, P.C., Nüske, G., Wagner, M., Goldmaier, A., Benz, F. (2019) Combination of river bank filtration and solar driven electro-chlorination assuring safe drinking water supply for river bound communities in India. *Water* 11, 122, doi:10.3390/w11010122.
- Paufler, S., Grischek, T., Herlitzius, J., Feller, J., Kulakov, V.V. (2019) Manganese release linked to carbonate dissolution during the start-up phase of a subsurface iron removal well in Khabarovsk, Russia. *Sci. Total Environ.* 650(2), 1722-1733, doi:10.1016/j.scitotenv.2018.09.319.
- Werisch, S., Grischek, T. (2018) Wasserwirtschaftlich relevante Änderungen durch den Klimawandel – Aktuelles für die Elbe. *energie wasser praxis* 12, 52-59.
- Glorian, H., Börnick, H., Sandhu, C., Grischek, T. (2018) Water quality monitoring in northern India for an evaluation of the efficiency of bank filtration sites. *Water* 10, 1804, doi:10.3390/w10121804.
- Haas, R., Opitz, R., Grischek, T., Otter, P. (2018) The AquaNES project: Coupling riverbank filtration and ultrafiltration in drinking water treatment. *Water* 11, 18, doi:10.3390/w11010018.
- Nagy-Kovács, Z., László, B., Fleit, E., Czichat-Mártonné, K., Till, G., Börnick, H., Adomat, Y., Grischek, T. (2018) Behaviour of organic micropollutants during river bank filtration in Budapest, Hungary. *Water* 10(12), 1861; doi:10.3390/w10121861.

- Dragon, K., Górski, J., Kruć, R., Drożdżyński, D., Grischek, T. (2018) Removal of natural organic matter and organic micropollutants during riverbank filtration in Krajkowo, Poland. *J. Water* 10(10), 1457, doi:10.3390/w10101457.
- Paufler, S., Grischek, T., Benso, M., Seidel, N., Fischer, T. (2018) The impact of river discharge and water temperature on manganese release from the riverbed during riverbank filtration – A case study from Dresden, Germany. *Water* 10(10), 1476, doi:10.3390/w10101476.
- Paufler, S., Grischek, T. (2018) Herkunft und Verhalten von Mangan bei der Uferfiltration. *Grundwasser* 23(4), 277-296, doi: 10.1007/s00767-018-0401-8.
- D'Alessio, M, Grischek, T., Ray, C. (2018) Water crisis: Bank filtration and aquifer storage and recovery as possible alternative. *J. Hazardous Toxic Radioactive Waste* 22(4), doi: 10.1061/(ASCE)HZ.2153-5515.0000417.
- Ronghang, M., Gupta, A., Mehrotra, I., Kumar, P., Patwal, P. Kumar, S., Grischek, T., Sandhu, C. (2018) Riverbank filtration: a case study of four sites in the hilly regions of Uttarakhand, India. *Sustain. Wat. Res. Managem.* doi:10.1007/s40899-018-0255-3.
- Musche, F., Sandhu, C., Grischek, T., Patwal, P.S., Kimothi, P.C., Heisler, A. (2018) A field study on the construction of a flood-proof riverbank filtration well in India – challenges and opportunities. *Int. J. of Disaster Risk Reduction* 31, 489-497, doi:10.1016/j.ijdr.2018.06.003.
- Voltz, T., Irmscher, R., Grischek, T., Sandhu, C., Musche, F., Kimothi, P.C., Tyagi, A., Dhamija, S. (2018) Energieeffizienzsteigerung von Trinkwasserpumpen in Uttarakhand, Indien: Fallbeispiel einer deutsch-indischen Zusammenarbeit. *gwf Wasser Abwasser* 159(4), 61-73, ISSN 0016-3651.
- Bartak, R., Grischek, T. (2018) Groundwater abstraction through siphon wells – Hydraulic design and energy savings. *Water* 10, 570; doi:10.3390/w10050570.
- Bartak, R., Grischek, T. (2018) Hydraulische Berechnung von Heberbrunnen. *bbr* 69(4), 64-69.
- Voltz, T., Grischek, T. (2018) Energy Management in the Water Sector – Comparative Case Study of Germany and the United States. *Water-Energy Nexus*, doi:10.1016/j.wen.2017.12.001
- Ghodeif, K., Paufler, S., Grischek, T., Wahaab, R., Souaya, E., Bakr, M., Abogabal, A. (2018) Riverbank filtration in Cairo, Egypt - part I: Installation of a new riverbank filtration site and first monitoring results. *Environ. Earth Sci.* 77(7), 270, doi:10.1007/ s12665-018-7450-2.
- Paufler, S., Grischek, T., Bartak, R., Ghodeif, K., Wahaab, R., Boernick, H. (2018) Riverbank filtration in Cairo, Egypt - Part II: Detailed investigation of a new riverbank filtration site with a focus on manganese. *Environ. Earth Sci.* 77(8), 318, doi:10.1007/s12665-018-7500-9.
- Paufler, S., Grischek, T., Adomat, Y., Herlitzius, J., Hiller, K., Metelica, Y. (2018) Effective range of chlorine transport in an aquifer during disinfection of wells: from laboratory experiments to field application. *J. Hydrol.* 559, 711-720.
- Sandhu, C., Grischek, T., Musche, F., Macheleidt, W., Heisler, A., Handschak, J., Patwal, P.S., Kimothi, P.C. (2017) Measures to mitigate direct flood-risks at riverbank filtration sites with a focus on India. *Sustain. Wat. Res. Managem.* 4(2), 237-249, doi 10.1007/s40899-017-0146-z.
- Voltz, T., Grischek, T., Musche, F. (2017) Case studies in energy management: Experience from Germany. *JAWWA* 109(12), 28, doi:105942/jawwa.2017.109.0123.
- Ahrns, J., Bartak, R., Grischek, T., Pörschke, R. (2017) Hydraulische Optimierung des Reaktionsraumes um einen Infiltrationsbrunnen zur unterirdischen Enteisung. Feldversuche und numerische Simulation zur Planung der optimalen Verfahrensergiebigkeit (Teil 1/2), *Grundwasser* 22, 253-266, doi:10.1007/s00767-017-0368-x.
- Bartak, R., Macheleidt, W., Ahrns, J., Grischek, T. (2017) Hydraulische Optimierung des Reaktionsraumes um einen Infiltrationsbrunnen zur unterirdischen Enteisung. Durchführung eines Feldversuchs mit Infiltrationssteuerung (Teil 2/2), *Grundwasser* 22, 267-275, doi:10.1007/s00767-017-0369-9.
- Romero-Esquivel, L.G., Grischek, T., Pizzolatti, B.S., Mondardo, R.I., Sens, M.L. (2017) Bank filtration in a coastal lake in South Brazil: water quality, natural organic matter (NOM) and redox conditions study. *Clean Techn Environ Policy* 8, doi:10.1007/s10098-017-1382-5.

- Kunz, S., Romero-Esquivel, L.G., Otter, P., Feistel, U., Grischek, T., Valverde-Cerdas, J., Feller, J. (2017) Treatment of arsenic-contaminated water using in-line electrolysis, co-precipitation and filtration in Costa Rica. *Wat. Sci. Technol. – Water Supply* 18(1), 40-48, doi:10.2166/ws.2017.089.
- Otter, P., Malakar, P., Jana, B.B., Grischek, T., Benz, F., Goldmaier, A., Feistel, U., Jana, J., Lahiri, S., Alvarez, J.A. (2017) Arsenic removal from groundwater by solar driven inline-electrolytic induced co-precipitation and filtration – A long term field test conducted in West Bengal. *Int. J. Environ. Res. Public Health* 14(10), 1167.
- Grischek, T., Paufler, S. (2017) Prediction of iron release during riverbank filtration. *J. Water* 9(5), 317, 1-13, doi:10.3390/w9050317.
- Krishan, G., Singh, S., Sharma, A., Sandhu, C., Grischek, T., Ghosh, N.C., Gurjar, S., Kumar, S., Singh, R.P., Glorian, H., Boernick, H. (2016) Assessment of river quality for river bank filtration along Yamuna River in Agra-Mathura districts of Uttar Pradesh. *Int. J. on Environ. Sciences* 7(1), 56-67, ISSN 09764534.
- Bartak, R., Macheleidt, W., Grischek, T. (2017) Controlling the formation of the reaction zone around an injection well during subsurface iron removal. *Water* 9, 87, 1-13, doi: 10.3390/w9020087.
- Feistel, U., Otter, P., Kunz, S., Grischek, T., Feller, J. (2016) Field tests of a small pilot plant for the removal of arsenic in groundwater using coagulation and filtering. *Water Process Engineering* 14, 77-85, doi:10.1016/j.jwpe.2016.10.006.
- Grischek, T., Bartak, R. (2016) Riverbed clogging and sustainability of riverbank filtration. *Water* 8(12), 604; 1-12, doi:10.3390/w8120604.
- Voltz, T., Musche, F., Pöttsch, U., Hälsig, R., Bahner, P., Jungmann, C., Eichler, A., Marx, A., Radisch, M., Grischek, T. (2016) Energiemanagementsystem für den Zweckverband Wasserver- und Abwasserentsorgung „Mittleres Erzgebirgsvorland“ (ZWA) Hainichen. *gwf Wasser Abwasser* 157(10), 921-932.
- Macheleidt, W., Bartak, R., Ahrns, J., Pörschke, R., Grischek, T. (2016) Einsatz eines Multilevelpackersystems zur Beschreibung eines unterirdischen Reaktionsraumes. *gwf Wasser Abwasser* 157(9), 847-853.
- Ghodeif, K., Grischek, T., Bartak, R., Wahaab, R., Herlitzius, J. (2016) Potential of river bank filtration (RBF) in Egypt. *Environ. Earth Sci.* 75, 671, doi:10.1007/s12665-016-5454-3.
- Klotz, M., Otter, P., Feistel, U., Feller, J., Grischek, T. (2016) Untersuchungen zur elektrolytischen Oxidation von Arsen(III) im Grundwasser und anschließenden Adsorption und Filterung. *Vom Wasser* 114(3), 102-106.
- Sandhu, C., Grischek, T., Ronghang, M., Mehrotra, I., Kumar, P., Ghosh, N.C., Rao, Y.R.S., Chakraborty, B., Patwal, P.S., Kimothi, P.C. (2015) Overview of bank filtration in India and the need for flood-proof RBF systems. In: Wintgens, T., Nätörp, A., Lakshmanan, E., Asolekar, S.R. (eds.) *Saph Pani – Enhancement of natural water systems and treatment methods for safe and sustainable water supply in India*. IWA Publ., London, UK, ISBN 9781780407104, 17-37.
- Kloppmann, W., Sandhu, C., Groeschke, M., Pandian, R.S., Picot-Colbeau, G., Fahimuddin, M., Ahmed, S., Alazard, M., Amerasinghe, P., Bhola, P., Boisson, A., Elango, L., Feistel, U., Fischer, S., Ghosh, N.C., Grischek, T., Grützmacher, G., Hamann, E., Nair, I.S., Jampani, M., Mondal, N.C., Monninkhoff, B., Pettenati, M., Rao, S., Sarah, S., Schneider, M., Sklorz, S., Thiery, D., Zabel, A. (2016) Modelling of natural water treatment systems in India: Learning from the Saph Pani case studies. In: Wintgens, T., Nätörp, A., Lakshmanan, E., Asolekar, S.R. (eds.) *Saph Pani – Enhancement of natural water systems and treatment methods for safe and sustainable water supply in India*. IWA Publ., London, UK, ISBN 9781780407104, 227–250.
- Sharma, S.K., Sandhu, C., Grischek, T., Gupta, A., Kumar, P., Mehrotra, I., Grützmacher, G., Sajilkumar, P.J., Elango, L., Ghosh, N.C. (2016) Pre- and Post-treatment of BF and MAR in India: Present and Future. In: Wintgens, T., Nätörp, A., Lakshmanan, E., Asolekar, S.R. (eds.) *Saph Pani – Enhancement of natural water systems and treatment methods for safe and sustainable water supply in India*. IWA Publ., London, UK, ISBN 9781780407104, 191-206.

- Bartak, R., Grischek, T., Hoche, D. (2015) MAR with untreated river water: Clogging of basins and coliform removal rates. *J. Hydrol. Eng.* 20(3), B4014001, 10.1061/(ASCE)HE.1943-5584.0000980.
- Bartak, R., Page, D., Sandhu, C., Grischek, T., Saini, B., Mehrotra, I., Jain, C.K., Ghosh, N.C. (2015) Application of risk-based assessment and management to riverbank filtration sites in India. *Journal of Water and Health* 13(1), 174-189, doi:10.2166/wh.2014.075.
- Pholkern, K., Srisuk, K., Grischek, T., Soares, M., Schäfer, S., Archwichai, L., Saraphirom, P., Pavelic, P., Wirojanagud, W. (2015) Riverbed clogging experiments at potential river bank filtration sites along the Ping River, Chiang Mai, Thailand. *Environ. Earth Sci.* 73(12), 7699-7709.
- Gupta, A., Ronghang, M., Kumar, P., Mehrotra, I., Kumar, S., Grischek, T., Sandhu, C., Knoeller, K. (2015) Nitrate contamination of riverbank filtrate at Srinagar, Uttarakhand, India: A case of geogenic mineralization. *J. Hydrol.* 531(3), 626-637.
- Gupta, A., Singh, H., Ahmed, F., Mehrotra, I., Kumar, P., Kumar, S., Grischek, T., Sandhu, C. (2015) Lake bank filtration in landslide debris: irregular hydrology with effective filtration. *Sustain. Water Resour. Manag.* 1(1), 15-26, DOI 10.1007/s40899-015-0001-z
- Bartak, R., Grischek, T., Ghodeif, K.O., Wahaab, R.A. (2015) Shortcomings of the RBF pilot site in Dishna, Egypt. *J. Hydrol. Eng.* 20(9), 050140331-1-8, doi:10.1061/(ASCE)HE.1943-5584.0001137.
- Ghosh, N.C., Mishra, G.C., Sandhu, C.S.S., Grischek, T., Singh, V.V. (2014) Interaction of aquifer and river-canal network near well field. *Ground Water* 53(5), 794-805, doi: 10.1111/gwat.12274
- Dash, R.R., Mehrotra, I., Kumar, P., Grischek, T. (2014) Study of water quality improvements at a riverbank filtration site along the upper course of the River Ganga, India. *Desalination and Water Treatment* 54(9), 2422-2431, doi:10.1080/19443994.2014.903863.
- Schwarz Müller, H., Menz, C., Grützmacher, G., Gnirß, R., Jordan, V., Schröder, J., Braun, B., Szewzyk, U., Macheleidt, W., Grischek, T. (2014) Mikrobielle Verockerung in technischen Systemen. Teil 1: Orientierte Entnahme von Ockerproben aus dem Filterbereich eines Trinkwasserbrunnens der Berliner Wasserbetriebe mit einem neuartigen kombinierten Unterwasserkamera- und Probenahme-System. *wwt Wasserwirtschaft Wassertechnik* 1-2, 31-33.
- Schröder, J., Braun, B., Schwarz Müller, H., Menz, C., Grützmacher, G., Grischek, T., Macheleidt, W. (2014) Mikrobielle Verockerung in technischen Systemen, Teil 2: Molekularbiologische und mikrobiologische Untersuchungen von Ockerproben. *wwt Wasserwirtschaft Wassertechnik* 3, 33-36.
- Sharma, B., Uniyal, D.P., Dobhal, R., Kimothi, P.C., Grischek, T. (2014) A sustainable solution for safe drinking water through bank filtration technology in Uttarakhand, India. *Current Science* 107(7), 1118-1124.
- Essl, L., Starkl, M., Kimothi, P.C., Sandhu, C., Grischek, T. (2014) Riverbank filtration and managed aquifer recharge as alternative water supply technologies for India: strengths–weaknesses–opportunities–threats analysis. *WST Water Supply* 14(4), 690-697, doi:10.2166/ws.2014.026
- Voltz, T.J., Grischek, T., Spitzner, M., Kemnitz, J., Irmscher, R. (2014) Raising energy efficiency of high-head drinking water pumping schemes in hilly India – Massive potential, complex challenges. *J. Sustainable Development of Energy, Water and Environment Systems* 2(2), 118-126.
- Romero, L.G., Mondardo, R.I., Sens M.L., Grischek, T. (2014) Removal of cyanobacteria and cyanotoxins during lake bank filtration at Lagoa do Peri, Brazil. *Clean Techn. Environ. Policy* 16(6), 1133-1143.
- Grischek, T., Ahrns, J., Kuehne, M., Bartak, R., Herlitzius, J., Ghodeif, K., Wahaab, R.A. (2013) Coupling riverbank filtration and subsurface iron removal. *Proc. Int. Symp. on Managed Aquifer Recharge*, 15.-18.10.2013, Beijing, 1-8.
- Rößner, U., Sailer, C., Ebermann, J., Grischek, T., Plassmann, C. (2013) Potenzial der unterirdischen Enteisung bei Verwendung von unterschiedlichem Infiltrationswasser. *gwf Gas-Wasser-Fach* 4, 466-472.

- Sandhu, C., Grischek, T., Kumar, P., Ray, C. (2012) The promise of bank filtration in India. *J Indian Water Works Association, Special Issue*, 5-12.
- Kimothi, P.C., Dimri, D.D., Adlakha, L.K., Kumar, S., Rawat, O.P., Patwal, P.S., Grischek, T., Sandhu, C., Ebermann, J., Ruppert, M., Dobhal, R., Ronghang, M., Kumar, P., Mehrotra, I., Uniyal, H.P. (2012) Development of riverbank filtration in Uttarakhand. *J Indian Water Works Association, Special Issue*, 13-18.
- Ronghang, M., Kumar, P., Mehrotra, I., Kimothi, P.C., Adlakha, L.K., Sandhu, C., Grischek, T., Voltz, T.J. (2012) Application of riverbank filtration for year-round drinking water production in a small town in the hills of Uttarakhand. *J Indian Water Works Association, Special Issue*, 19-24.
- Kumar, P., Mehrotra, I., Boernick, H., Schmalz, V., Worch, E., Schmidt, W., Grischek, T. (2012) Riverbank filtration: An alternative to pre-chlorination. *J Indian Water Works Association, Special Issue*, 50-58.
- Bartak, R., Grischek, T., Ghodeif, K., Ray, C. (2012) Beach sand filtration as pre-treatment for RO-desalination. *International Journal of Water Science* 1(2), 1-10.
- Esquivel, L.G.R., Sens, M.L., Grischek, T. (2012) Filtracao em margem como alternativa de remocao de cianobacterias e cianotoxinas. *Hydro* 7(71), 16-23.
- Sandhu, C., Grischek, T. (2012) Riverbank filtration in India – using ecosystem services to safeguard human health. *Wat. Sci. Technol.* 12(6), 783-790.
- Grischek, T., Schoenheinz, D., Eckert, P., Ray, C. (2012) Sustainability of river bank filtration – examples from Germany. In: Maloszewski, P., Witczak, S., Malina, G. (eds.) *Groundwater quality sustainability. Selected papers on hydrogeology 17*, Taylor & Francis Group, London, UK, 213-227.
- Ebermann, J.P., Eichhorn, D., Macheleidt, W., Ahrns, J.J., Grischek, T. (2012) Field tests for subsurface iron removal at a dairy farm in Saxony, Germany. In: Maloszewski, P., Witczak, S., Malina, G. (eds.) *Groundwater quality sustainability. Selected papers on hydrogeology 17*, Taylor & Francis Group, London, UK, 29-40.
- Soares, M., Gunkel, G., Grischek, T. (2012) Comparison of established methods to determine infiltration rates in river banks and lake shore sediments. In: Maloszewski, P., Witczak, S., Malina, G. (eds.) *Groundwater quality sustainability. Selected papers on hydrogeology 17*, Taylor & Francis Group, London, UK, 229-247.
- Ray, C., Jaspers, J., Grischek, T. (2011) Bank filtration as natural filtration. In: Ray, C., Jain, R. (eds.) *Drinking water treatment. Focusing on appropriate technology and sustainability*. Springer, Dordrecht, 93-158.
- Schoenheinz, D., Grischek, T. (2011) Behavior of dissolved organic carbon during bank filtration under extreme climate conditions. In: Ray, C., Shamrukh, M. (eds.) *Riverbank filtration for water security in desert countries*. Springer Science+Business Media B.V., 51-67, doi:10.1007/978-94-007-0026-04.
- Sandhu, C., Grischek, T., Schoenheinz, D., Prasad, T., Thakur, A.K. (2011) Evaluation of bank filtration for drinking water supply in Patna by the Ganga River, India. In: Ray, C., Shamrukh, M. (eds.) *Riverbank filtration for water security in desert countries*. Springer Science+Business Media B.V., 203-222.
- Kulakov, V.V., Fisher, N.K., Kondratjeva, L.M., Grischek, T. (2011) Riverbank filtration as an alternative to surface water abstraction for safe drinking water supply to the city of Khabarovsk, Russia. In: Ray, C., Shamrukh, M. (eds.) *Riverbank filtration for water security in desert countries*. Springer Science+Business Media B.V., 281-298.
- Sandhu, C., Grischek, T., Kumar, P., Ray, C. (2011) Potential for riverbank filtration in India. *Clean Techn Environ Policy* 13(2), 295-316, doi:10.1007/s10098-010-0298-0.
- Herlitzius, J., Sumpf, H., Grischek, T. (2011) Planung eines Groß-Wasserwerks unterirdischer Aufbereitungstechnologie. *bbr* 62(11), 54-57.
- Dash, R.R., Prakash, E.V.P.B., Kumar, P., Mehrotra, I., Sandhu, C., Grischek, T. (2010) River bank filtration in Haridwar, India: removal of turbidity, organics and bacteria. *Hydrogeology J.* 18, 973-983, doi:10.1007/s10040-010-0574-4
- Singh, P., Kumar, P., Mehrotra, I., Grischek, T. (2010) Impact of riverbank filtration on treatment of polluted river water. *J. Environ. Management* 91(5), 1055-1062, doi:10.1016/j.jenvman.2009.11.013

- Grischek, T., Schoenheinz, D., Syhre, C., Saupe, K. (2010) Impact of decreasing water demand on bank filtration in Saxony, Germany. *Drink. Water Eng. Sci.* 3, 11-20.
- Grischek, T., Ray, C. (2009) Bank filtration as managed surface – groundwater interaction. *Int. J. of Water* 5(2), 125-139, doi:10.1504/IJW.2009.028722
- Ray, C., Grischek, T., Hubbs, S., Drewes, J., Haas, D., Darnault, C. (2008) Riverbank filtration for drinking water supply. In: Anderson, M. G. (ed.) *Encyclopedia of Hydrological Sciences*, J. Wiley & Sons Ltd., 1-16, doi:10.1002/0470848944.hsa305.
- Dash, R.R., Mehrotra, I., Kumar, P., Grischek, T. (2008) Lake bank filtration at Nainital, India: water quality evaluation. *Hydrogeology J.* 16(6), 1089-1099.
- Grischek, T., Schubert, J., Jasperse, J.L., Stowe, S.M., Collins, M.R. (2007) What is the appropriate site for RBF? In: Fox, P. (ed.) *Management of aquifer recharge for sustainability*. Proc. ISMAR 6, Acacia, Phoenix, 466-474.
- Macheleidt, W., Grischek, T., Nestler, W. (2006) New approaches for estimating streambed infiltration rates. In: Hubbs, S. (ed.) *Riverbank Filtration Hydrology*. NATO Science Series IV. Earth and Environmental Sciences Vol. 60, Springer, Dordrecht, 73-91.
- Fischer, T., Day, K., Grischek, T. (2006) Sustainability of riverbank filtration in Dresden, Germany. In: UNESCO IHP-VI Series on Groundwater No. 13, *Recharge systems for protecting and enhancing groundwater resources*. Proc. Int. Symp. Management of Artificial Recharge, 11.-16.06.2005, Berlin, 23-28.
- Krüger, M., Ende, C., Grischek, T. (2006) Management of river bank filtration in the Elbe River Basin near Torgau, Germany. In: UNESCO IHP-VI Series on Groundwater No. 13, *Recharge systems for protecting and enhancing groundwater resources*. Proc. Int. Symp. Management of Artificial Recharge, 11.-16.06.2005, Berlin, 49-54.
- Mallén, G., Trettin, R., Gehre, M., Flynn, R., Grischek, T., Nestler, W. (2005) Influence of upwelling Zechstein sulphate on the concentration and isotope signature of sedimentary sulphides in a fluvio-glacial sand aquifer. *Appl. Geochem.* 20(2), 261-274.
- Macheleidt, W., Herlitzius, J., Nestler, W., Grischek, T. (2004) A temporary sampling technique for investigating groundwater quality near the ground surface. *Environ. Geol.* 46, 257-262.
- Gun, J., Modestov, A.D., Kamyshny, A., Ryzkov, D., Gitis, V., Goifman, A., Lev, O., Hultsch, V., Grischek, T., Worch, E. (2004) Electrospray ionization mass spectrometric analysis of aqueous polysulfide solutions. *Microchim. Acta* 146, 229-237.
- Grischek, T., Schoenheinz, D., Ray, C. (2003) Siting and design issues for riverbank filtration schemes. In: Ray, C., Melin, G., Linsky, R. (eds.) *Riverbank Filtration: Improving Source-Water Quality*. Kluwer Academic Publ., Dordrecht, 291-302.
- Fukada, T., Hiscock, K.M., Dennis, P., Grischek, T. (2003) A dual isotope approach to identify denitrification in groundwater at a river-bank infiltration site. *Wat. Res.* 37, 3070-3078.
- Baveye, P., Berger, P., Schijven, J., Grischek, T. (2003) Research needs to improve the understanding of riverbank filtration for pathogenic microorganism removal. In: Ray, C., Melin, G., Linsky, R. (eds.) *Riverbank Filtration: Improving Source-Water Quality*. Kluwer Academic Publ., 311-319.
- Hultsch, V., Kern, D., Grischek, T., Worch, E. (2002) Vorkommen von Polysulfiden in aquatischen Systemen. *Vom Wasser* 99, 137-146.
- Schmalz, V., Grischek, T., Herlitzius, J., Gruner, T., Worch, E. (2002) Effect of pyrite oxidation on dynamic sulphate concentrations in an alluvial aquifer. In: Schulz, H.D., Haderer, A. (eds.) *Geochemical processes with long term effects in anthropogenically affected seepage and groundwater*. Wiley-VCH, 326-342.
- Schmalz, V., Grischek, T., Worch, E. (2002) Analytische Bestimmung von Schwefelspezies in landwirtschaftlich genutzten Böden. *Vom Wasser* 99, 245-258.
- Grischek, T., Schoenheinz, D., Worch, E., Hiscock, K. (2002) Bank filtration in Europe - An overview of aquifer conditions and hydraulic controls. In: Dillon, P. (ed.) *Management of aquifer recharge for sustainability*. Balkema Publ., Swets & Zeitlinger, Lisse, The Netherlands, 485-488.
- Grischek, T., Macheleidt, W., Nestler, W. (2002) River bed specifics and their effect on bank filtration efficiency. In: Dillon, P. (ed.) *Management of aquifer recharge for sustainability*. Balkema Publ., Swets & Zeitlinger, Lisse, The Netherlands, 59-64.

- Hiscock, K., Grischek, T. (2002) Attenuation of groundwater pollution by bank filtration. *J. Hydrol.* 266(3-4), 139-144.
- Grischek, T., Schoenheinz, D., Nestler, W. (2002) Unexpected groundwater flow beneath the River Elbe at the bank filtration site Meissen, Germany. In: Schmitz, G.H. (ed.) *Water resources and environment research, ICWRER 2002*, Vol. 1, 116-120.
- Worch, E., Grischek, T., Börnick, H., Eppinger, P. (2002) Laboratory tests for simulating attenuation processes of aromatic amines in riverbank filtration. *J. Hydrol.* 266(3-4), 259-268.
- Ray, C., Grischek, T., Schubert, J., Wang, J.Z., Speth, T.F. (2002) A perspective of riverbank filtration. *J AWWA* 94(4), 149-160.
- Grischek, T., Foley, A., Schoenheinz, D., Gutt, B. (2002) Effects of interaction between surface water and groundwater on groundwater flow and quality beneath urban areas. In: Howard, K.W.F. & Israfilov, R.G. (eds.) *Current problems of hydrogeology in urban areas, urban agglomerates and industrial centres*. Kluwer Academic Publ., The Netherlands, 201-219.
- Macheleidt, W., Nestler, W., Grischek, T. (2002) Determination of hydraulic boundary conditions for the interaction between surface water and groundwater. In: Hiscock, K.M., Rivett, M.O., Davison, R.M. (eds.) *Sustainable groundwater development*. Geol. Society, London, Special Publ. 193, 235-243.
- Schoenheinz, D., Grischek, T., Worch, E., Bereznoy, V., Gutkin, I., Shebesta, A., Hiscock, K., Macheleidt, W., Nestler, W. (2001) Groundwater pollution at a pulp and paper mill at Sjasstroj near Lake Ladoga, Russia. In: Hiscock, K.M., Rivett, M.O., Davison, R.M. (eds.) *Sustainable groundwater development*. Geol. Society, London, Special Publ. 193, 277-291.
- Hultsch, V., Grischek, T., Wolff, D., Gun, J., Worch, E. (2001) Katalytische Oxidation von Sulfid bei der Trinkwasseraufbereitung: Aktivkohle als Katalysator. *Vom Wasser* 97, 115-124.
- Börnick, H., Eppinger, E., Grischek, T., Worch, E. (2001) Simulation of biological degradation of aromatic amines in river bed sediments. *Water Research* 35(3), 619-624.
- Börnick, H., Grischek, T., Worch, E. (2001) Determination of aromatic amines in surface waters and comparison of their behavior in HPLC and on sediment columns. *Fresenius J. Anal. Chem.* 371, 607-613.
- Schmalz, V., Grischek, T., Gerstäcker, G., Worch, E. (2001) Comparison of different extractants for the determination of inorganic sulphate in gypsum-free agricultural soils. *J. Plant Nutr. Soil Sci.* 164, 577-578.
- Dehnert, J., Kuhn, K., Grischek, T., Lankau, R., Nestler, W. (2001) Eine Untersuchung zum Einfluss voll verfilterter Messstellen auf die Grundwasserbeschaffenheit. *Grundwasser* 4/2001, 174-182.
- Grischek, T., Schmalz, V., Worch, E., Herlitzius, J., Nestler, W. (2000) Managing groundwater resources with increasing sulphate concentration: A case study from Germany. In: Sililo, O. et al. (eds.) *Groundwater: Past achievements and future challenges*, 935-939.
- Grischek, T., Macheleidt, W., Nestler, W. (2000) Hydrochemische Erfassung des Stoffaustausches zwischen Oberflächenwasser und Grundwasser in der Torgauer Elbaue. In: Friese, K., Witter, B., Miehlich, G., Rode, M. (Hrsg.) *Stoffhaushalt von Auenökosystemen*. Springer-Verlag, 119-128.
- Trettin, R., Grischek, T., Strauch, G., Mallen, G., Nestler, W. (1999) The suitability and usage of ¹⁸O and chloride as natural tracers for bank filtrate at the Middle River Elbe. *Isotopes Environ. Health Stud.* 35, 331-350.
- Grischek, T., Hiscock, K.M., Metschies, T., Dennis, P., Nestler, W. (1998) Factors affecting denitrification during infiltration of river water into a sand and gravel aquifer in Saxony, Germany. *Water Research* 32(2), 450-460.
- Ludwig, U., Grischek, T., Nestler, W., Neumann, V. (1997) Behaviour of different molecular weight fractions of DOC of Elbe river water during river bank infiltration. *Acta hydrochim. hydrobiol.* 25(3), 145-150.
- Ludwig, U., Neumann, V., Grischek, T., Nestler, W. (1997) Application of ultrafiltration for characterization of the DOC of Elbe river water. *Acta hydrochim. hydrobiol.* 25(2), 71-78.

- Ludwig, U., Grischek, T., Nestler, W., Neitzel, P. (1997) Ultrafiltration - A technique for determining the molecular-mass distribution of group parameters of organic pollutants in natural waters. *J. Chrom. A*, 763, 315-321.
- Grischek, T., Nestler, W., Piechniczek, D., Fischer, T. (1996) Urban groundwater in Dresden, Germany. *Hydrogeology J.* 4(1), 48-63.
- Neitzel, P., Ludwig, U., Nestler, W., Grischek, T., Dehnert, J. (1996) Ultrafiltration-An efficient Clean-up tool for ion-pairing methods in liquid chromatography. *LC-GC (US)* 14, 416-424.
- Grischek, T., Dehnert, J., Nestler, W., Neitzel, P., Trettin, R. (1995) Groundwater flow and quality in an alluvial aquifer recharged from river bank infiltration, Torgau Basin, Germany. In: Brown, A.G. (Ed.) *Geomorphology and Groundwater*. John Wiley & Sons Ltd., 21-35.